

High speed POS printing with front exit

Hospitality highest standard

CT-S851II

POS, Receipt printer (thermal 3 inch / 80mm)

Applications

- Hospitality
- Kiosk
- Kitchen
- Retail



LCD display

The industry's first POS printer with LCD display for easy configuration and operation. Many set up options and coloured status or error messages.

In a hurry?

With 300mm/sec. print speed the CT-S851II is the fastest POS printer in the market.

Tool-free maintenance

Paper jam? No problem for the CT-S851II. One hand grip and the cutter is released automatically. No tool is needed. Even if the long-life cutter ever needs to be exchanged. Thanks to it's Snap-In design this only takes 30 seconds.



High speed printing with unique ease of use

TOMORROW'S PRINTING TODAY

Citizen Systems Europe GmbH, Elizabeth House, 56-60 London Road, Staines-Upon-Thames, TW18 4HF, United Kingdom

CITIZEN

Specifications

Model	CT-S851II
Printing Technology	Direct Thermal
Resolution	203 dpi
Print Speed (maximum)	300 mm/sec.
Print Width (maximum)	80 mm
Media Width (min to max)	58 / 60 / 80 / 83 mm (+/- 1 mm)
Roll Size (max), Core Size	83 mm outside diameter
Media Thickness (min to max)	65 to 75 μm or 75 to 85 μm
Main Interface	None: interface card slot for optional card
Optional interfaces	Bluetooth with Apple™ MFi compatibility, Compact Wireless LAN, Premium Wireless LAN, Serial (RS-232C compliant), Parallel (IEEE 1284 compliant), USB, USB with hub, Powered USB, External device port, RJ-45, 8-pin connector, Ethernet, Ethernet + USB host
Power supply	100 - 240V, 50/60hz
Reliability	200 Million pulses or 150 Km, 2 million cuts
Emulations (Languages)	ESC/POS™
Drivers and software	Free-of-charge from website, including support for various platforms
Cutter	Guillotine type, full and partial

CT-S851II

POS, Receipt printer (thermal 3 inch / 80mm)

Features & Benefits

- Paper exit: Front exit prevents damage from moisture or foreign objects
- Paper load: Easy paper loading
- Printing Speed: Ultra fast print out of receipts up to 300mm per seconds
- Display: LCD display for easy configuration and operation
- Low space requirement integrated power supply enables clean work station
- Mobile-POS ready
- Easy notification built-in buzzer
- ENERGY STAR® compliant
- Small footprint
- Recyclable packacking



Top of the class

CITIZEN

Model

CT-S851II

EMC and safety standards

CE, TUV, UL, C-UL, FCC class A

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0

CT-S851II

POS, Receipt printer (thermal 3 inch / 80mm)