

SRL-100



- Allow nurse to see a patient' emergency situation by light
- Visualized notification by 3 different colors
- Light on by RF communication.

PRODUCT DETAIL VIEW



PRODUCT SPECIFICATION

Description

- Allow nurse to see a patient' emergency situation by light
- Visualized notification by 3 different colors
- Light on by RF communication.

Specification

LED Color	Red, Green, Blue
Dimension	W100 x L160 x H100mm
Net Weight	530g
Frequency Range	FM 433MHz
Power Source	DC 12V / 1A
Adapter Input	AC100-240V~, 50/60Hz, 0.3A
Antenna Type	Helical antenna
Compatibility	All Syscall call bells.

Features

- 3 colors lighting (Red, Green, Blue)
- Wall mounted type
- Mostly used in hospitals

Benefits

- Get the right care, to the right patient, at the right time.
- Increase patient satisfaction
- Improve service quality
- Improve work efficiency

SYSTEM MAP

- Press the Call button
- LED stays on for 15 mins
- Start flashing after 15 mins
[unless the call's being cleared]



- LED off when Clear button is pressed.



Nurse Call System

- Patients press the call button, room or bed number will be shown on the receiver.
- Nurses are also able to check the calls by the pager.



Wireless Guest Paging System

- Hand over to the guest pager to waiting patients.
- Call the guest pager in their sequence of treatment.
- Call the guest pager when the medicine is ready.



Wireless Doctor Paging System

- When doctors need to come and see patients especially in emergency room.
- Medical staff can call doctors by paging system.

